

LIVE IN THE
LINES.



Exawell
Surface Decorative Wall Panel

remarkable

Where artistry and durability come together.




Where Modern Design Meets Lasting Elegance

Exawell Surface bring elegance and style to any space with a variety of modern textures and designs. They instantly enhance walls, ceilings, and partitions, making interiors look sophisticated and unique.

Crafted from durable, high-quality materials, these panels are easy to install and require minimal maintenance. Resistant to scratches, stains, and fading, they are perfect for homes, offices, hotels, and commercial spaces.


Combining **functionality with aesthetic appeal**, Exawell panels offer an eco-friendly, long-lasting solution that transforms ordinary walls into extraordinary statements.




Bold textures that stand out. Elegant lines that create depth. Materials made to endure. Quality you can trust. Precision-crafted in **120X2440 mm**.



120X2440MM



ENHANCED PROTECTION



Light Weight



Termite & Borer Resistant



Water resistant



High Strength



Easy Maintenance



Thermal Resistance



Dimensional Stability



No Formaldehyde




Eco Friendly

Smart, durable, and easy to maintain, our louvers are crafted to resist termites and moisture while maintaining perfect stability. A reliable choice for interiors that demand long-lasting quality with a modern touch.

Textures that tell a story.Crafted beyond the surface.Strength you can feel, style you can see.Nature-inspired resilience, engineered for today.Panels that turn walls into art.



NAME: **EW - 21001**



Size :-
**120MMX
2440MM**
NAME: **EW - 21001**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |


NAME: **EW - 21002**



Size :-
**120MMX
2440MM**
NAME: **EW - 21002**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21003**



Size :-
**120MMX
2440MM**
NAME: **EW - 21003**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21004**



Size :-
**120MMX
2440MM**
NAME: **EW - 21004**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21005**



Size :-
**120MMX
2440MM**
NAME: **EW - 21005**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21006**



Size :-
**120MMX
2440MM**
NAME: **EW - 21006**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21007**



Size :-
**120MMX
2440MM**
NAME: **EW - 21007**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21008**



Size :-
**120MMX
2440MM**
NAME: **EW - 21008**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21009**



Size :-
**120MMX
2440MM**
NAME: **EW - 21009**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |


NAME: EW - 21010



Size :-
**120MMX
2440MM**
NAME: **EW - 21010**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 21011



Size :-
**120MMX
2440MM**
NAME: **EW - 21011**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 21012



Size :-
**120MMX
2440MM**
NAME: **EW - 21012**

- 

HIGH
STRENGTH
- 

EASY
MAINTENANCE
- 

THERMAL
RESISTANCE
- 

DIMENSIONAL
STABILITY
- 

NO
FORMALDEHYDE
- 

ECO
FRIENDLY


NAME: EW - 21013



Size :-
**120MMX
2440MM**
NAME: **EW - 21013**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 21014**



Size :-
**120MMX
2440MM**
NAME: **EW - 21014**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 21015



Size :-
**120MMX
2440MM**
NAME: **EW - 21015**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 21016



Size :-
**120MMX
2440MM**
NAME: **EW - 21016**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 22017



Size :-
**120MMX
2440MM**
NAME: **EW - 22017**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 22018**



Size :-
**120MMX
2440MM**
NAME: **EW - 22018**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 22019



Size :-
**120MMX
2440MM**
NAME: **EW - 22019**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |



NAME: EW - 22020



Size :-
**120MMX
2440MM**
NAME: **EW - 22020**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 22021**



Size :-
**120MMX
2440MM**
NAME: **EW - 22021**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 22022



Size :-
**120MMX
2440MM**
NAME: **EW - 22022**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |


NAME: EW - 22023



Size :-
**120MMX
2440MM**
NAME: **EW - 22023**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 22024



Size :-
**120MMX
2440MM**
NAME: **EW - 22024**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 28025**



Size :-
**120MMX
2440MM**
NAME: **EW - 28025**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 28026**



Size :-
**120MMX
2440MM**
NAME: **EW - 28026**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |


NAME: **EW - 28027**



Size :-
**120MMX
2440MM**
NAME: **EW - 28027**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 28028**



Size :-
**120MM X
2440MM**
NAME: **EW - 28028**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |


NAME: EW - 28029



Size :-
**120MMX
2440MM**
NAME: **EW - 28029**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |


NAME: **EW - 28030**



Size :-
**120MMX
2440MM**
NAME: **EW - 28030**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: EW - 28031



Size :-
**120MMX
2440MM**
NAME: **EW - 28031**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

NAME: **EW - 28032**



Size :-
**120MMX
2440MM**
NAME: **EW - 28032**

- | | | |
|---|--|--|
| 
HIGH
STRENGTH | 
EASY
MAINTENANCE | 
THERMAL
RESISTANCE |
| 
DIMENSIONAL
STABILITY | 
NO
FORMALDEHYDE | 
ECO
FRIENDLY |

